


# MAXIMUM PERFORMANCE UNMATCHED VERSATILITY



**TexSpray HTX 2030 –  
Complete PLUS+**  
Part #: 258741



**TexSpray HTX 2030 –  
Complete**  
Part #: 258740

## Texture Applications

Get the Interior and Exterior Texture Finish You Want – with Aggregate Size up to 2.5 mm!



**TexSpray  
HTX 2030  
= Complete**  
Part #: 258740



**TexSpray  
HTX 2030  
+ = Complete PLUS+**  
Part #: 258741

Simulated  
Acoustic  
(Popcorn)

Splatter

Textured  
Acrylics,  
Elastomerics

Knockdown

Orange Peel,  
Fine Splatter

Deck Coatings

EIFS, Synthetic  
Stucco,  
Finish Coats

Skim Coat,  
Level 5,  
(Airless)

Primers,  
Paints  
(Airless)

# One Machine can Complete all Your Interior and Exterior Jobs!

The all new TexSpray HTX 2030 is Graco's most powerful and versatile texture sprayer to date. Designed for today's demanding exterior aggregate and smooth coatings, the HTX 2030 offers extreme durability and simple operation. Capable of applying exterior smooth and aggregate textures, elastomerics, and acrylic

## High-Output Texture Pump

- Uniquely designed pump with extra large passages allows pumping aggregated materials up to 2.5 mm
- Innovative soft seal in the foot valve ensures consistent and optimal performance
- Produces delivery rates to 3.0 gpm at 1000 psi for time-saving production rates
- Easily sprays smooth and aggregate textures, elastomerics and acrylic materials



*No-tools hose connections at pump and gun*

## Exclusive PowerFlo™ Control System

- Innovative design remotely stops and starts material flow right at the pump, eliminating the need for a downstream valve
- Offers a smooth, controlled material flow to prevent pack-out conditions
- Ensures a soft start, eliminating the material blast that can impact finish quality
- Full-range flow control from .6 to 3 gpm



*Remote on/off switch electronically engages pump, eliminating the need for a gun valve*

materials, it can also spray drywall mud in an orange peel, splatter or knockdown finish. Combine this with the available MaxLife™ Endurance™ High Pressure Pump and you can spray a wide variety of interior and exterior smooth materials including primers and paints.

## Exclusive StraightThru™ Fluid Path

- StraightThru design eliminates turns and corners from pump to gun
- Puts less stress on material to virtually eliminate pack-out conditions
- Enables the spraying of today's more demanding and aggressive aggregate materials

## Wide Variety of Applicators

- NEW FreeFlo™ Inline Gun offers oversized, unobstructed fluid passages to provide maximum flow
- Sprays air-assisted in either a round pattern or wide fan pattern for fast, consistent material coverage
- New 3 ft Pole Gun\* offers extended reach to minimize repositioning of lifts and ladders
- Flex Head Pole Gun\* offers greater control in tight areas, such as on scaffolding and around architectural detail
- Both new Pole Guns can spray in a wide fan pattern – **an industry first!**



*FreeFlo Inline Gun*



*Pole Gun with Fine Finish Kit (included with Pole Gun Applicators; Patent Pending)*

*\*Sold Separately*

## Exclusive Convert-A-Pump™ System

(Included with TexSpray HTX 2030-Complete PLUS+)

- Innovative system allows user to convert unit to a high pressure airless sprayer for applying the wide range of heavier smooth coatings including skim coat in a Level 5 finish, primers and paints
- System automatically recognizes installed pump and converts it to an airless sprayer
- One machine can complete all your interior and exterior jobs!
- Allows you to upgrade your TexSpray HTX 2030-Complete to a TexSpray HTX 2030-Complete Plus+ at any time (with the Maxlife Endurance High-Pressure Pump Kit), to expand your job capabilities!



*Tool-less ProConnect™ Pump System allows you to change pumps in seconds*



*Expand your capabilities and spray a wide variety of materials*



# TexSpray™ HTX 2030

Trigger Gun Applicator



## ***New Trigger Gun Applicator***

- Ideal for Spraying EIFS and Synthetic Stucco Finish Coats
- One Handed Spray
- Trigger Shut Off- No Material Oozing
- Swiveling Material Hose Connection
- Air Control – At the Gun
- Material Control - At the Gun



**TexSpray HTX 2030-*Complete***

**TexSpray HTX 2030-*Complete Plus+***



# 2030 Complete VS. 2030 Complete Plus+

	2030 Complete	2030 Complete	2030 Complete Plus+	2030 Complete Plus+
<b>Part #</b>	258740	278677	258741	278678
<b>Applicator(s)</b>	• Free Flow	• New Trigger Gun	• Free Flow • HD Texture Gun	• New Trigger Gun • HD Texture Gun
<b>Hose</b>	3/4in x 50ft	3/4in x 50ft	3/4in x 50ft 3/8in x 50ft BlueMax II 1/4in x 3ft Whip Hose	3/4in x 50ft 3/8in x 50 ft BlueMax II 1/4in x 3ft Whip Hose
<b>Suction Set</b>	55 Gallon	55 Gallon	55 Gallon	55 Gallon
<b>Pump:</b> • High-Output Piston Texture Pump	✓	✓	✓	✓
• MaxLife Endurance High Pressure Airless Pump			✓	✓
<b>Nozzles/Discs</b>	3mm, 6mm, 8mm, 9.5mm	3mm, 6mm, 8mm, 9.5mm	3mm, 6mm, 8mm, 9.5mm	3mm, 6mm, 8mm, 9.5mm
<b>Airless Tip and Guard</b>	RAC X 671	N/A	RAC X 671 RAC X 643	RAC X 643
<b>Applications:</b> • Interior Texture	✓	✓	✓	✓
• Textured Acrylics/Elastomerics	✓	✓	✓	✓
• Deck Coatings	✓	✓	✓	✓
• EIFS/Synthetic Stucco/Finish Coats	✓	✓	✓	✓
• Skim Coat/Level 5 (Airless)			✓	✓
• Primers/Paints (Airless)			✓	✓

**Specifications:**    **Texture Pump**    **Airless Pump**  
• Max Tip Size: .071    .048  
• Max GPM (LPM): 3.0 (11)    2.2 (8.3)  
• Max PSI (Bar): 1000 (70)    3300 (227)  
• Honda Engine: 200cc    200cc

**TEXTURE APPLICATIONS:** Get the interior and exterior texture finish you want with aggregate size up to 2.5 mm!



= TexSpray HTX 2030-Complete



= TexSpray HTX 2030-Complete PLUS+





# TEXTURE PRODUCT SPECIFICATIONS

## SPRAYER CONFIGURATIONS



<b>MODEL:</b>	<b>TexSpray HTX 2030-Complete</b>	<b>TexSpray HTX 2030-Complete Plus+</b>
<b>PART NUMBER:</b>	<b>258740</b>	<b>258741</b>
<b>FOR SPRAYING:</b>	For exterior aggregate and smooth finishes as well as common interior texture finishes such as orange peel, splatter, knockdown and simulated acoustic.	For exterior aggregate and smooth finishes as well as common interior texture finishes. Can also airlessly apply the wide range of heavier smooth coatings, Level 5, primers and paints.

### INCLUDES:

High-Output Piston Texture Pump	✓	✓
FreeFlo™ Inline Gun	✓	✓
3/4 in x 50 ft (19 mm x 15 m) Hose	✓	✓
55 Gallon Suction Set	✓	✓
Fine Finish Kit with 1/8 in, 1/4 in, 5/16 in and 3/8 in nozzles	✓	✓
4,6,8,10 mm Nozzles	✓	✓
RAC X™ 671 Airless Tip	✓	✓
MaxLife Endurance High Pressure Airless Pump	Optional (Pump Kit 24B140)	✓
HD Blue Texture Gun		✓
1/4 in x 3 ft (6.4 mm x .9 m) Whip Hose		✓
RAC X 643 Airless Tip		✓

## TECHNICAL SPECIFICATIONS

	<b>High-Output Texture Pump</b>	<b>with High-Output Texture Pump</b>	<b>with MaxLife™ Endurance High Pressure Pump</b>
Maximum Tip Size	0.071	0.071	0.048
Maximum gpm/lpm	3.0 gpm (11 lpm)	3.0 gpm (11 lpm)	2.2 gpm (8.3 lpm)
Maximum Working Pressure	1000 psi (70 bar)	1000 psi (70 bar)	3300 psi (227 bar)
Engine	200cc Honda® (6.5 hp at 3600 rpm)	200cc Honda® (6.5 hp at 3600 rpm)	
Compressor	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm @ 90 psi (708 lpm @ 6.2 bar) for best results	User supplied air compressor required for some texture finishes. Minimum air compressor rating 25 cfm @ 90 psi (708 lpm @ 6.2 bar) for best results	
Weight	155 lbs (70 kg)	155 lbs (70 kg)	150 lbs (68 kg)

### PUMP:

Intake	QuikAccess™	QuikAccess	QuikAccess
Rod	Hard Chrome	Hard Chrome	ChromeX™
Cylinder	Hard Chrome	Hard Chrome	MaxLife™
Packings	HD Poly	HD Poly	V-Max Blue

# HTX ACCESSORIES

## GUNS

- 24B327 FreeFlo Inline Gun with 4, 6, 8, 10 mm Nozzles, 18 30 Mesh Filter, RAC X 671 Tip, RAC X Guard
- 24B944 Pole Gun 3 ft (1 m) with 6 mm, 8 mm, 9.5 mm, 11 mm, 13 mm Nozzles, Cap, Fine Finish Adapter
- 24B945 Flex Head Gun with 6 mm, 8 mm, 9.5 mm, 11 mm, 13 mm Nozzles, Cap, Fine Finish Adapter
- 241705 HD Blue Texture Gun



## NOZZLES

### Nozzle Selection Guide\*

Nozzle Size	Exterior Aggregate Material	Nozzle Size	Interior Smooth Material
3 mm	up to 1 mm (max)	3 mm	Fine Finish Orange Peel/Fog
4 mm	up to 1.25 mm (max)	4 mm	Fine Finish Orange Peel/Fog
5 mm	up to 1.5 mm (max)	5 mm	Orange Peel, Small Splatter
6 mm	up to 2.0 mm (max)	6 mm	Orange Peel, Small Splatter
8 mm	up to 2.5 mm (max)	8 mm	Splatter, Small to Medium Knockdown
9.5 mm	up to 2.5 mm (max)	9.5 mm	Acoustics/Popcorn, Splatter, Medium Knockdown
10 mm	up to 2.5 mm (max)	10 mm	Acoustics/Popcorn, Large Knockdown
11 mm	up to 2.5 mm (max)	11 mm	Acoustics/Popcorn, Large Knockdown
13 mm	up to 2.5 mm (max)	13 mm	Acoustics/Popcorn, Large Knockdown
14 mm	up to 2.5 mm (max)	14 mm	Acoustics/Popcorn, Large Knockdown

### FreeFlo Inline Gun

- 287227 Fine Finish Kit (includes 3 mm, 6 mm, 8 mm, 9.5 mm Spray Discs, retaining nut and adapter)
- 248888 3 mm Nozzle
- 248524 4 mm Nozzle
- 248525 6 mm Nozzle
- 248526 8 mm Nozzle
- 248527 10 mm Nozzle



### Pole Gun and FlexHead Gun

- 16A443 5 mm Nozzle
- 16A444 6 mm Nozzle
- 16A445 8 mm Nozzle
- 16A446 9.5 mm Nozzle
- 16A447 11 mm Nozzle
- 16A448 13 mm Nozzle
- 16A449 14 mm Nozzle
- 16A420 Cap, Nozzle-Soft
- 16A405 Cap, Nozzle-Medium
- 16A421 Cap, Nozzle-Hard
- 16A246 Fine Finish Adapter



## HOSE

- 24B300 3/4 in x 50 ft Fluid Hose (with Remote on/off switch)
- 24B326 3/4 in x 50 ft Extension Fluid Hose



## CONVERT-A-PUMP KIT

- 24B140 MaxLife Endurance High Pressure Pump Kit with High Pressure Lower, HD Blue Texture Gun, 3/8 in x 50 ft Hose, 1/4 in x 3 ft Whip Hose, RAC X 643 Tip



## ADDITIONAL ACCESSORIES

- 287987 25 Gallon (95 L) Texture Hopper
- 243380 Cam-Lock Hose Adapter-Connects Texture Hopper to the HTX 2030 High-Output Texture Pump
- 24C414 Ball Valve Material Shutoff Kit
- 119282 Cleaning Ball (25 mm)
- 244052 HD Blue Texture Gun Air Atomizer Kit with Air Hose (Minimum air compressor rating of 15 cfm at 90 psi)
- 244223 HD Blue Texture Gun Air Atomizer Kit without Air Hose (Minimum air compressor rating of 15 cfm at 90 psi)



Atomizer Kit shown with HD Blue Texture Gun (not included)

\*Nozzle size requirement could vary based on material viscosity, desired finish, production rate and air settings

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Call today for product information or to request a demonstration.  
800.690.2894 or visit us at [www.graco.com](http://www.graco.com)

